	Hits	Search Text	DBs
1	0	"09-281614"	USPAT; US-PGPUB
2	1	"9-281614"	USPAT; US-PGPUB
3	0	"8-965110"	USPAT; US-PGPUB
4	0	"8-96511"	USPAT; US-PGPUB
5	207	(396/324).CCLS.	USPAT; US-PGPUB
6	1	"10/072,110"	USPAT; US-PGPUB
7	906	(396/324,331,333,199,544,351).CCLS.	USPAT; US-PGPUB
8	27	((396/324,331,333,199,544,351).CCLS.) and parallax and stereo and camera and two	USPAT; US-PGPUB
9	68	(396/331).CCLS.	USPAT; US-PGPUB
10	207	(396/324).CCLS.	USPAT; US-PGPUB
11	58	((396/331).CCLS.) not ((396/324).CCLS.)	USPAT; US-PGPUB
12	906	(396/324,331,333,199,544,351).CCLS.	USPAT; US-PGPUB
13	2	((396/324,331,333,199,544,351).CCLS.) and (pattern near filter) and project$4 and deflect$4 and divid$3	USPAT; US-PGPUB
14	209	(396/324).CCLS.	USPAT; US-PGPUB
15	0	"8-096511"	USPAT; US-PGPUB
16	0	"08-965110"	USPAT; US-PGPUB
17	0	"08-096511"	USPAT; US-PGPUB
18	70	(396/331).CCLS.	USPAT; US-PGPUB
19	911	(396/324,331,333,199,544,351).CCLS.	USPAT; US-PGPUB
20	200	((396/324,331,333,199,544,351).CCLS.) and (emit$4 or illuminat$3)	USPAT; US-PGPUB
21	41	((396/324,331,333,199,544,351).CCLS.) and (emit$4 or illuminat$3) and stereo	USPAT; US-PGPUB
22	2	("3815970" | "5349403").PN.	USPAT
23	3	5581314.URPN.	USPAT
24	66	(396/324).CCLS.	JPO
25	0	((396/324).CCLS.) and emit	USPAT; US-PGPUB
26	0	"stereo adapter"	EPO
27	12	stereo and adapter	EPO
28	0	camera and stereo and adapter	EPO
29	27	stereo and adapter	JPO
30	12	stereo and adapter	EPO
31	0	("7 and "light souce"").PN.	USPAT; US-PGPUB
32	0	((396/324,331,333,199,544,351).CCLS.) and "light souce"	USPAT; US-PGPUB
33	87	((396/324,331,333,199,544,351).CCLS.) and (light near emit$4)	USPAT; US-PGPUB

	Hits	Search Text	DBs
34	20	((396/324,331,333,199,544,351).CCLS.) and (pattern with project$4)	USPAT; US-PGPUB
35	636	(396/324-331).CCLS.	USPAT; US-PGPUB
36	1	((396/331).CCLS.) and (pattern with project$4)	USPAT; US-PGPUB
37	2	"stereo adapter" and (pattern with project$4)	USPAT; US-PGPUB
38	308	stereo and camera and (pattern with project$4)	USPAT; US-PGPUB
39	0	"pattern projection adpater"	USPAT; US-PGPUB
40	18	pattern with project$3 with adapter	USPAT; US-PGPUB
41	3867	camera and (pattern with project$3)	USPAT; US-PGPUB
42	11	camera same mount$3 same stereo same adapter	USPAT; US-PGPUB
43	1	("5570150").PN.	USPAT; US-PGPUB
44	911	(396/324,331,333,199,544,351).CCLS.	USPAT; US-PGPUB
45	87	((396/324,331,333,199,544,351).CCLS.) and pattern	USPAT; US-PGPUB
46	22	((396/324,331,333,199,544,351).CCLS.) and pattern and stereo	USPAT; US-PGPUB
47	177	(camera near stereo) and pattern	USPAT; US-PGPUB
48	209	(396/324).CCLS.	USPAT; US-PGPUB
49	34	((396/324).CCLS.) and pattern	USPAT; US-PGPUB
50	35	((396/324).CCLS.) and pattern$2	USPAT; US-PGPUB
51	77	stereo with mount with camera	USPAT; US-PGPUB
52	1275	stereo with camera	USPAT; US-PGPUB
53	121	"pattern projector"	USPAT; US-PGPUB
54	83	"pattern projector" and camera	USPAT; US-PGPUB
55	0	"10-323691"	USPAT; US-PGPUB
56	0	"2000-155282"	USPAT; US-PGPUB
57	1	("6567682").PN.	USPAT; US-PGPUB
58	1	10/072,110	USPAT; US-PGPUB
59	817	(600/407).CCLS.	USPAT; US-PGPUB
60	690	(382/154).CCLS.	USPAT; US-PGPUB
61	139	(348/77).CCLS.	USPAT; US-PGPUB
62	0	"8-096511"	USPAT; US-PGPUB
63	0	"08-096511"	USPAT; US-PGPUB
64	0	"9-2811614"	USPAT; US-PGPUB
65	0	"8-096511"	USPAT; US-PGPUB
66	139	(348/77).CCLS.	USPAT; US-PGPUB
67	1	("4183644").PN.	USPAT; US-PGPUB
68	1	("4695130").PN.	USPAT; US-PGPUB
69	210	(396/324).CCLS.	USPAT; US-PGPUB

	Hits	Search Text	DBs
70	915	(396/324,331,333,199,544,351).CCLS.	USPAT; US-PGPUB
71	0	("4and(markorpattern)").PN.	USPAT; US-PGPUB
72	127	((396/324,331,333,199,544,351).CCLS.) and (mark or pattern)	USPAT; US-PGPUB
73	18	("2257676" | "3148015" | "3588227" | "3628430" | "3794409" | "4124859" | "4506964" | "4707106" | "4708449" | "4741605" | "4827291" | "4875066" | "4994831" | "5073789" | "5546152" | "5563675" | "5835795" | "5897231").PN.	USPAT
74	0	6542699.URPN.	USPAT
75	0	10/389,464	USPAT; US-PGPUB
76	0	10/323,902	USPAT; US-PGPUB
77	0	10/322,129	USPAT; US-PGPUB
78	0	10/322,123	USPAT; US-PGPUB
79	0	10/292,812	USPAT; US-PGPUB
80	120740	(light$3 or flash$3 or (light$3 adj emitter)) with (filter or pattern or mark)	USPAT; US-PGPUB
81	22441	((light$3 or flash$3 or (light$3 adj emitter)) with (filter or pattern or mark)) and camera	USPAT; US-PGPUB
82	110	((light$3 or flash$3 or (light$3 adj emitter)) with mount$3 with (filter)) same pattern	USPAT; US-PGPUB
83	3	((light$3 or flash$3 or (light$3 adj emitter)) with mount$3 with (filter)) same pattern and stereo	USPAT; US-PGPUB
84	37	(((light$3 or flash$3 or (light$3 adj emitter)) with mount$3 with (filter)) same pattern) and camera	USPAT; US-PGPUB
85	1	("5946500").PN.	USPAT; US-PGPUB
86	1	("4695130").PN.	USPAT; US-PGPUB
87	190	(353/7).CCLS.	USPAT; US-PGPUB
88	185	(352/57,65).CCLS.	USPAT; US-PGPUB
89	378	(359/462).CCLS.	USPAT; US-PGPUB
90	1716	(359/462-477).CCLS.	USPAT; US-PGPUB
91	437	(348/42,54).CCLS.	USPAT; US-PGPUB
92	5	(("2230793") or ("4695130") or ("5570150") or ("5946500") or ("6567682")).PN.	USPAT; US-PGPUB
93	5	(("2290793") or ("4695130") or ("5570150") or ("5946500") or ("6567682")).PN.	USPAT; US-PGPUB